

# Structural vs. Chemical: Discovering Brain Map Coupling



Kevin Souder  
kesouder@ucsd.edu

Kevin Huang  
tih009@ucsd.edu

Mentor: Armin Schwartzman  
armins@ucsd.edu

Mentor: Gabriel Riegner  
gariegner@ucsd.edu

## Research Question

Does the physical organization and chemical organization of the brain act as independent modes?

### Chemical Brain Maps




Figure 1: 8 Brain Maps

## Results: Subgroup Analysis

- Maps naturally split into "Structural" and "Chemical" groups. They correlate more strongly within their own group ( $\bar{r} = 0.44$ ) than across the two groups ( $\bar{r} = -0.37$ )




Figure 6: Dendrogram of hierarchical clustering with k = 2 clusters

## Results: PCA

- PCA exhibited two axes explaining ~70% of the total variance: a global coupling axis (PC1: 50.10%) and a structural-functional segregation axis (PC2: 18.08%)

PCA Loadings: Vector Alignment by Cluster and Identity




Figure 4: PC1 Loading v.s PC2 Loading Scatter Plot

## Methods

- Complex "hockey stick" relationships demonstrating structural & chemical modalities are not globally linked
- Maps are tightly coupled in primary sensory regions but highly uncoupled in the association cortex




Figure 2: Ranked Pairwise Density Scatter plots & Coupling Brain Maps





Figure 5: Multimodal Spearman Correlation Matrix




Figure 7: PCA Variance Scree Plot

## Summary of Findings

- Maps are tightly coupled in primary sensory regions but highly uncoupled in the association cortex
- The association cortex uncouples from rigid structural gradients to allow for abstract reasoning and complex decision making
- Two dominant semi-independent clusters: a foundational/structural system (driven by genes and myelin) and a higher-order/functional system (driven by functional gradients and receptor distributions)

## Next Steps

- Explore additional modalities & multimodal coupling trends across development and aging in patients
- Explore the relationship with neurodegenerative pathologies or psychiatric studies

## References

- Randy L Buckner, Fenna M Krienen, Angela Castellanos, Julio C Diaz, and BT Thomas Yeo. The organization of the human cerebellum estimated by intrinsic functional connectivity. *Journal of neurophysiology*, 106(5):2322-2345, 2011.
- M. F. Glasser, S. M. Smith, D. S. Marcus, J. L. R. Andersson, E. J. Auerbach, T. E. J. Behrens, T. S. Coalson, M. P. Harms, M. Jenkinson, S. Moeller, and D. C. Van Essen. The human connectome project's neuroimaging approach. *Nature*, 536:171-178, 2016.
- R. D. Markello, J. Y. Hansen, Z.-Q. Liu, V. Bazinet, G. Shafiei, L. E. Suarez, N. Bostein, J. Seidlitz, S. Baillet, T. D. Satterthwaite, M. M. Chakravarty, A. Raznahan, and B. Mišić. neuromaps: structural and functional interpretation of brain maps. *Nature Methods*, 19:1472-1479, 2022